




Product Catalogue

2025





Awic®
we build future



AAC BLOCK FIX

Block Jointing Mortar

Adhesive For Concrete Blocks,
AAC Blocks, Siporex Blocks
And Fly Ash Bricks.

Pack of
40
Kg

Description

AWIC AAC BLOCK FIX IS a pre-mixed cementitious powder adhesive composed of Portland cement, hydraulic binders, bonding agents, silica sand and special adhesives. It is formulate as a crack free, superior, flexible, high bonding adhesive for AAC Blocks. It can also be used to fix Concrete, Cement blocks, Siporex Blocks and clay bricks to prevent clay absorption of water for adhesive mix. It is a masonry mortar for use in laying bricks, block.

Technical Information

Application Properties

Test	Result
Powder: Water mixing ratio	1 : 0.25 by weight
Chemical curing time	3 – 4 minutes
Pot life (in shade)	90 minutes approx
Open time	20 minutes approx

Remark: These test results are from laboratory test. They could be slightly different from on-site results because of the differences in applications and conditions.

CERTIFIED STANDARD

Testing Property	Test Results
Compressive Strength	> 7.00 N/mm ²
Flexural Strength	> 2.00 N/mm ²
Tensile Strength	> 0.80 N/mm ²
Spitting Tensile Strength	> 0.40 N/mm ²

Coverage

Approx. 110-120 sq. ft. per 40 kg bag with 6mmx6mm square notch trowel (Brick size 600x200x150mm) Coverage depends on thickness of adhesive used & the smoothness, evenness, porosity of the block used

Self Life

12 months for sealed pack when stored under cover, out of direct sunlight, damp proof condition and protect from extremes of temperature.



Morbi, Gujarat-363642.

Mail us on : awicind@gmail.com

Follow us :    

MADE IN INDIA

