



Product Catalogue

2025





Awic®
we build future



Pack of
0.5
Kg

Pack of
1
Kg

Pack of
5
Kg

Pack of
20
Kg

SBR LATEX

**WATERPROOFING SYSTEM
FOR CONCRETE AND MORTAR**

Description

SBR Latex is a ready to use liquid based waterproofing system for concrete and mortar to prevent water infiltration or seepage of water in the area of low pressure of concrete structure or any cementitious substrate.

Typical Use

- Basement
- Reservoirs.
- Sewage water and effluent treatment plant.
- Tunnel and underground subways.
- Foundations.
- Swimming pools.
- Underground parking structures.
- Water tanks

Advantages

- Easy to apply.
- Can be used for positive and negative side waterproofing.
- Helps in faster construction schedule.
- Can seal hairline cracks.
- Becomes an integral and homogenous part of the structure.
- Allows the substrate to breath.
- No added chloride.
- Non-toxic

Method of Application

- Remove the dust, dirt, oil, grease, fungus etc. from the surface by using wire brush / Scrubbing. Strictly clean every edges and corners of the surface.
- Mixing Ratio
Water : SBR Latex
(2 -1 by weight)
- Add liquid by weight to given amount of water and stir with high speed mixer for 5 minutes until a lump free smooth brushable consistency is achieved.
- Apply the 1st Coat of SBR Latex is mixed with water to produce crystalline slurry and to be coated with the help of a brush or roller.
- When the first coat is in dry condition Apply a second coat of KrystoProof with the help of a brush or roller.

Self Life

Shelf life is 24 month on the date of manufacturing in unopened condition. Store in a cool and dry place.



Morbi, Gujarat-363642.

Mail us on : awicind@gmail.com

Follow us :    

MADE IN INDIA

